# Coccigan<sup>®</sup>

### **COMPOSICIÓN:**

Each mL of Coccigan® contains: 

Diclazuril 2% Oral suspension

## The optimal dose of Coccidiostat

Coccigan® is made with diclazuril at 2%, (20 mg/mL), for oral administration in cattle, pigs, sheep, goats and dogs, to control, prevent and treat coccidiosis.

#### Advantages and benefits

- Coccigated, implements a low volume single dose, therefore reducing costs and optimizing administration.
- Coccigan®D, does not require withdrawal period regarding meat and milk, making it suitable for any stage of production.
- Coccigan® , assures maximum effectiveness, its ability to rapidly reduce oocysts contributes to a lower infection rate in other animals.
- Coccigan® , as a coccidiostat, has the ability to generate immunological memory.
- Coccipan protects the intestinal downiness from the harms coccidiosis might generate, given its low absorption and its direct action.
- Coccigan® , total safety, the dose can be exceeded up to 40 times.
- Coccipan<sup>®</sup>, as prophylactic protocol in 3 to 5 days-old piglets.



product	
	Coccigan Diclazuril 2% some
Coccigan Diclazurii 2%	500 mL
Coccidan	HRAEL TRATAMIENTO DE LA OCCIDIO

#### **Dosis**

Cattle	 1 mL/20 kg
Sheep	 1 mL/20 kg
Pigs	 3 mL/20 kg
Dogs	 7,5 mL/10 kg

#### **PACKAGING**

- \*100mL Jar with dosing syringe
- \*500mL Jar
- \*200mL Dosing Syringe

Effective against all stages of Coccidiosis www.laboratoriosprovet.com

