

Ganador[®] Ivermectin 3.15

COMPOSITION

Each mL of Ganador 3,15% contains:
Ivermectin.....31,5 mg

INDICATIONS: **Ganador 3.15%** is indicated for the treatment and control of diseases caused by gastrointestinal nematodes, pulmonary and external parasites (lice, mites and ticks) in bovines.

PROLONGED ACTION: **Ganador 3.15%** has a prolonged action against the internal and external parasites and prevents reinfestation of the treated animal during a three times better period than those formulated at 1%.

Protection time with Ganador 3.15% (days):

INTERNAL PARASITES:	Tiempo de protección(días) con Ganador 3.15%
<i>Haemonchus spp.</i>	42
<i>Ostertagia ostertagi</i>	49
<i>Trichostrongylus spp</i>	42
<i>Cooperia spp.</i>	42
<i>Oesophagostomum spp.</i>	49
<i>Dictyocaulus viviparus</i>	63
EXTERNAL PARASITES	
<i>Rhipicephalus (Bophilus) microplus</i>	75
<i>Dermatobia hominis (Maggot)</i>	140



ADVANTAGES:

- Persistent antiparasitic effect that reduces the applications and facilitates animals handling.
- Formula that guarantees the stability of the active principle and therefore guarantees the effectiveness of its action.
- Larvae and adults control. Decreases the reproductively active parasitic population in animals and paddocks for longer periods.
- Prolonged effect over time allowing to manage low parasitic loads and the development of natural immunity in treated animals.
- Thermoregulatory pack that maintains the antiparasitic activity of the active principle until its use.
- Enhanced formula with greater antiparasitic activity (94% of b1a Ivermectin meaning more active component).

DOSAGE: Subcutaneous route of administration. Dose of 1 ml per 50 kg of bodyweight. (630 mcg / kg b.w.)

PRESENTATION:

20 mL - 50 mL - 100 mL - 250 mL - 500 mL Bottles.

